Qty:

5 Um:

Each

: CABIN FLOOR PROTECTOR

: D35741

: N/A

: D3574 REV.A

: 23/04/2008

Date:

Tuesday, 15/04/2008 3:33:48 PM

User: Julie Lecocq

Process Sheet

Drawing Name

Part Number

Material

Due Date

Drawing Number

Project Number

Drawing Revision

Customer Job Number

: CU-DAR001 Dart Helicopters Services

: 38609

Estimate Number P.O. Number

: 12660

This Issue

Prsht Rev.

First Issue

Previous Run

: 15/04/2008

: NC

: // : 38512

S.O. No. :

Type

: SMALL /MED FAB

Written By Checked & Approved By

08-4.

Comment

: Est Rev : A New Issue 07-01-22 EC

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

MLEXS125F6002904 1.0

GE PLASTICS LEXAN SHEET



Comment: Qty.: 33.6000 sf(s)/Unit Total: 168.0000 sf(s)

lexan sheet

Batch: 103100

FLOW WATER JET

2.0



Comment: FLOW WATER JET

1-Cut as per Dwg D3574 Dwg Rev:_

Prog Rev:_

中9-4-16



2-Deburr if necessary

3.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



HB 8-4-16



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

QC8

SECOND CHECK



Comment: SECOND CHECK

5.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary.



Dart Ae	rospace L	td	İ									
W/O:			-	WC	ORK ORDER CHANG	SES						
DATE	STEP	STEP		PROCEDURE CHANGE			Ву	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			* = · · · · · · · · · · · · · · · · · ·									
			ļ									
Part No	:	P/	AR #:	Fault Cate	gory:	_ NCR:	Yes N	lo DQA	A:	_ Date: _		
						C	QA: N/	C Closed	d:	_ Date: _		
NCR:				WORK ORDI	ER NON-CONFORM	ANCE (NCR)					
DATE	0750	Description	of NC		Corrective Action Sect	ion B		Verific	ation	Annroyal	Annual	
DATE	STEP	Section A		Initial Chief Eng	Action Description Chief Eng		ign & Date	Section		Approval Chief Eng	Approval QC Inspector	
		,										
		į							•	;		
		!										
	 			- 								

NOTE: Date & initial all entries

Tuesday, 15/04/2008 3:33:48 PM Date: User: Julie Lecocq **Process Sheet** Drawing Name: CABIN FLOOR PROTECTOR Customer: CU-DAR001 Dart Helicopters Services Job Number: 38609 Part Number: D35741 Job Number: Seq. #: **Machine Or Operation:** Description: INSPECT WORK TO CURRENT STEP QC5 6.0 Comment: INSPECT WORK TO CURRENT STEP 7.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify with P/N and B/N using a permanent fine point marker, then Stock 8.0 QC21 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart	Aer	ospa	ace	Ltd
-------------	-----	------	-----	-----

W/O:		WORK ORDER (WORK ORDER CHANGES							
DATE	STEP PROCEDURE CHANGE	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
							,			
							:			
Part No	:	PAR #: Fault Category:	NCR: Yes	No DQ	A :	Date:				


QA: N/C Closed: ____ Date: __

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section E	3	Verification	A	Approval QC Inspector			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng				

NOTE: Date & initial all entries



DESIGN BY				DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
	CHEC	ED	APPROVED /	DRAWING NO.	REV. A			
į	1	=		D3574	SHEET 1 OF 5			
	DATE			TITLE	SCALE			
	07.0	6.08		CABIN FLOOR PROTECTOR	1:14			
	Α		07.06.08	NEW ISSUE				



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 38607

D3574-1 CABIN FLOOR PROTECTOR (SHOWN). D3574-2 (OPPOSITE)


NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8961

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8962

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-4" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- CHECK PER TEMPLATE DT8963

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-5" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8964

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3574-6 CABIN FLOOR PROTECTOR

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8965

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED

OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD	Work Order:	38600
Description: CARIN FICOR PROTECTOR	Part Number:	03574-12
laspection Dwg: 03574_3 Rev: A		Page 1 of

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
\$3.00	100 - 610. 4	3.00>	X		·	
1, 1,3,1	4- 00		*			
11.00	4-030	1	*			
15.28	4-030	15.25	*			
52.81	4/030	JS.87	*			
39.75	4- 030	39.75	X {		·	
44.75	th- 030	44.75	*			
53.51	4030	53,51	×			İ.
62.72	4- 030	65.25	*		<u> </u>	
	4- 030	10.75	*			
14.75	4- 630	14.75	*			-
35.50	4- 630	25.50	*			
25.75	1- 030	25.75	*	<u> </u>	· ·	
	4- ,630	26.00	*			
	7- 630	39.87				
	1- 630	38.81	<u>k</u> .			·
	- ,630	45.00				
47.75	- 030	47.75 2	*			
58.32	- 630	58.38	4			
61.75		61.25 ×	k			
64.13		64.13 ×				
64.637		6463 ×				·
MA						

		ſ	•		
Measured by: R	Audited by:	8	Prototype Approvai:	1/	
Date: 8-4-16	Date:	05/04/17	Date:	19	

Rev Date	Change	Revised by	Approved
A	New Issue	KJ/JLM	ٺـــــا



DART AEROSPACE LTD	Work Order: 38609
Description: CABIN Floor PROTECTOR	Part Number:) 3574-
Inspection Dwg: D3674-1 Rev: A	Page 7 of 7

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	
7.50	1- 63	7.56	*			
9.50	1- 030	9.50	*			
10.38 4	1030	T	 			
	- 00	1088	*			
	1020	14.50	×			<u> </u>
16.56 7	<u> </u>	16.56	<i>\\</i>			
18.75 4	<u>~ .63c </u>	18.75	*			
24.13 7		24.13	*			
J6.50 T	~ .030	26.50	*			
33.88 7		33.88	X			
39.50 4		39.56	<u> </u>			
40.75 7	- , ৬১৯	46.25	*		······································	
43.SO 17.	~ .630	43,50	1			
46.60 4-	10.70	46.60	18			
7.63 7.	- 630	7.63	8		·	
11.00 17	- 630	11.06	\$			
11.50 17-	- 030	11.58	x			
16.75 1/-		1675	*			
19.00 7		19.60	¢ .			
7-105.66		22.50	· ·			
30.757		30.75				
			`			
				ļ	. [

	•	í		•		
Messured by:	B	Audited by:	,	Prototype Approvai:	NI	/
Date:	8-4-16	Date:	08/04/17	Date:	7	n

Rev	Date	Change	 Revised by Approved
A		New Issue	KJ/JLM



DART AEROSPACE LTD	Work Order:	38669
Description: CABIN FLOOR PROTECTOR	Part Number:	D3\$74-1
Inspection Dwg:) 357 4-1 Rev: A		Page 1, of 7

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

· <u>· · · · · · · · · · · · · · · · · · </u>						
Drawin g Dimensi on	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	
32.63	4/020	32.63	*			
39.75	+/020	32,75	!			
35,13	4- 630		*			<u></u>
3650	1-030	36.50	*			
40.00	4030 -	40.60				
41.88	4030	41.88	*			
43.63	1/_ 1030	4363	- X -			
		<u> </u>				
				1		
		·				
						•
			•			
						-
	77		Ì			
				ļ		
			<u> </u>			
			~			

Measured by: 18	Audited by:	6	Prototype Approval:	N	
Date: 8-4-16	Date:	08/04/17	Date:	14	
		·		·	

Rev Date	Change	Re	vised by Approved
A	New Issue	KJ	/JLM

